




Viper střední C051

A close-up photograph of a battery terminal area. A black plastic fuse holder is mounted on a metal terminal. A red wire is inserted into the holder, and a clear plastic tube fuse is fitted over it. A yellow wire and a blue wire are also connected to the terminal area. A white plastic connector is attached to the yellow wire. The battery casing is black and has a yellow warning label on the left side. The text 'Trubičková pojistka, při její výměně vložte max.16A!' is overlaid in green at the top right. The text 'Kryt vraťte, zapojte kabely dle předchozí kontroly,' is overlaid in green at the bottom left. The battery terminal has 'YOULE' and '500VA SAN20HR' printed on it.

Trubičková pojistka,
při její výměně vložte max.16A!

Kryt vraťte, zapojte kabely dle předchozí kontroly,



Odšroubujte kryt baterie, přesně podle obrázku
zkontrolujte správné zapojení kabelů do baterie,
červený na červený, černý na černý,









Koncovky řídítek nasadíte kroutivým pohybem nadoraz,






Kola se musí po dotažení volně otáčet,









Před nasazením řízení propojte konektor,
pozor na vytržení kabelů !!

Šroub řízení dotáhněte tak aby šlo řízením volně zatáčet,







Horní polovinu kufříku natlačte do otvorů pro uchycení,

vpřed
stop
vzad

Musika

Klakson

I zapnuto
O vypnuto

Pedál pro jízdu,

Zásuvka pro nabíjení,





Přejeme krásné zážitky na nové motorce,